

# **12 Animals Signs Which Save You From Disaster**



## 12 Warning Signs from Animals Predict Disaster



### 373 BC, GREECE

The animals and bird fled the city of Helike five days before an earthquake destroyed it.



### 1975, CHINA

The residents from Haicheng are evacuated just before an 7.3 earthquake, taking odd animal behavior as precursor.



### 2004, THAILAND

2000,000 humans died killed by tsunami, but the animals who were free to roam survived.

Animals are able to sense change in the air prior to disaster. Millions of dollars are invested in finding out how effective animals are at predicting weather.

## HOW DO THEY SENSE DISASTER?

Animals feel:

**Infrasound** are extremely low-pitched vibrations emitted by such natural disasters as earthquakes and tidal waves. Cows, horses, and elephants can hear lower levels than humans can so they interpret these vibrations as signs of danger and head for safety.

**Barometric (air) and hydrostatic (water) pressure changes** are more noticeable to animals than they are to most humans. When hydrostatic pressure drops before hurricanes and storms, animals head to locations where it's safe.

## WHAT ANIMALS ARE THE MOST SENSITIVE?



Birds are sensitive to air pressure changes before storms and hurricanes.

Sharks feel the changes in water pressure before storms.



Snakes and earthworms are the most sensitive to vibrations prior to earthquake.

Dogs detect variation in smell, sound and vibrations prior to disaster.



**73** million American households include a cat, dog or other pet.

## LOOK FOR THESE CHANGES, AND TAKE HEED BECAUSE SOMETHING HEAVY IS ON THE WAY

Bees stop flying around and go to hive.

Birds go to their trees and aren't flying around. They may migrate completely away.

Bats may be awake and active in the middle of the day a few minutes or even hours.

Cows, horses, and elephants head to high ground and safety.

Dogs and cats go missing.

Chickens may become agitated and stop laying eggs.

Dogs become more agitated, bark more, become aggressive, or refuse to go on a walk or walk to a certain area.

Horses, dogs, monkeys, and other pets may refuse food or treats.

Fish bite hard one day then completely disappear the next day, or even a few hours later.

Frogs are prone to disappear.

Fish jumping an unusual amount, or fish that don't typically jump, particularly catfish, are jumping.

Sharks head to deeper water where it's safe.

When the tsunami hit Thailand in 2004, nearly all of the animals who were free to roam made it to higher ground and survived. More than 200,000 humans died: the animals knew something that we didn't.

Take a good look at your pet and don't disregard its changing behavior. It might save the day and the rest of your life as well!



**CLICK HERE**

**to find out more on the first aid  
techniques that will save your life  
when the health system is down!**