Top 3 Antiseptics You Can Make At Home

It seems that in these troubled times when the coronavirus is causing panic, a lot of people are looking for ways to take care of themselves without having to get out of the house.

Being able to self-medicate and heal your wounds is a priceless skill during this pandemic, and this article aims to teach you how to make antiseptics at home.

There's been a lot of talking and debating on the internet about how to properly disinfect your home and how to buy certain products that would kill the Covid-19 virus. One of the most frequent topics I've seen on forums and various group chats regards the use of antiseptics since these work well on bacteria as well on coronaviruses.

DO THIS WHEN SOMEONE YOU KNOW IS BLEEDING OUT...

>> CLICK TO DISCOVER MORE <<

PREPPER DOCTOR REVEALS HIS TOP 3 SURVIVAL SECRETS

>> CLICK TO DISCOVER MORE <<

3 THINGS YOU MUST NEVER (EVER!) DO IN A MEDICAL CRISIS

>> CLICK TO DISCOVER MORE <<

The powerful antiseptics listed in this article can be easily made at home, and it will help you disinfect and treat

your wounds when professional medical aid is not available. I've used them on various occasions, and I can personally guarantee these actually work.

These antiseptics were used by many generations before us, and in fact, many corporations have turned them into commercial products for profit, even though the essential ingredients remained the same.

Dakin's solution

Dakin's solution is an antiseptic solution with a great history behind it and success stories that made it into a profitable commercial product. In fact, this now, common antiseptic was developed during World War I to treat infected wounds.



Da ki n, а br il li an t En gl is h ch em is t th at he lp еd s a ve th е li ve S o f th ou s a n d S o f

S 0

ld ie rs d u ri ng Wa r Wo rl d I. At th at ti me , it wa S сa ιι еd Ca rr el -D ak in S 0 lu ti on or Ca rr

el -D ak in fl ui d, an d it wa S s e en a s а тi ra сu lo u s S 0 lu ti on th at C 0 ul d s u сс e s s f ul ly

cl

ea n s е WO un ds an d pr ev en t in fe ct iο n s It was very popular, and it only lost some of its popularity in 1943 when penicillin became an established antibiotic with a vast distribution. Even so, Dakin's solution continues to be used due to its broad activity against aerobic and anaerobic organisms, including fungi and antibiotic-resistant organisms. Even more, it's a very lowcost solution, and it can be found almost everywhere. Dakin's solution contains sodium hypochlorite (ordinary household bleach) and water. In my opinion, this is perhaps the most viable homemade antiseptic for preppers and survivalists.

It can be easily prepared by passing chlorine into a solution of sodium hydroxide or sodium

carbonate. It can be used on humans without any risk, and it can also be used on animals. Homesteaders love this product as it helped them save many of their animals.

How to make Dakin's Solution:

In emergency situations, you can make it at home without hassle since you might already have all the ingredients in your home.

You will need the following equipment: a sterile jar with a sterile lid, a clean pan with a lid, and sterile measuring spoons and cups. As for the ingredients, you will need water, baking soda, and bleach.

Once you have all the equipment ready and you gathered the needed ingredients you should do the following to prepare Dakin's solution:

- Measure out 32 ounces (4 cups) of tap water. Pour the water into the clean pan you prepared.
- Boil the water for 15 minutes
 with the lid on the pan. Remove the pan from the heat.
- Using the sterile measuring spoon, add 1/2 teaspoon of baking soda to the boiled water.
- Now it's time to add bleach and complete the Dakin's solution. You can make one of several strengths, and you should measure bleach according to the chart below.

Full strength	1/2 Strength	1/4 Strength	1/8 Strength
3 oz. or 95 ml	3 TBSP + 1/2 tsp or 48 ml	1TBSP + 2 tsp or 24 ml	2 ½ tsp or 12-14 ml

Once you made the Dakin's solution, place it in the sterile jar and close it tightly with the lid. It can be stored at room temperature, away from light.

Recommendations:

 Before you start preparing Dakin's solution, it is mandatory to sterilize all your equipment and contact surfaces and wash your hands with soap and warm water. Cleanliness is crucial if you want to make a good batch of this homemade antiseptic. It is mandatory to label the jar and write the date on it. I can tell you from experience that if the jar is not opened, it can be stored for 2-3 weeks. • Once you open the jar, use the antiseptic as needed because once 48 hours have passed, you need to throw it away. Keep it out of the reach of children. It can be used as a mouthwash and to treat dental abscesses, but remember, DO NOT SWALLOW IT! If you are allergic to any of the ingredients listed above, don't use it. I usually recommend using distilled water if available since tap water may contain unwanted chemicals. If your condition worsens or you develop a rash, the solution might have a stronger concentration than

needed, and you need to stop using it.

Sugardine

I first learned about Sugardine more than ten years ago, and it was actually by accident. I saw my father-in-law use a sticky brown paste on a wound, on one of his horses. When inquiring about what he was using and doing, he told me that it's an old remedy called Sugardine and that every serious homesteader knows how to make and use.



t th at it ' s аc tu al ly а fo lk lo re me di сi ne th at wa S u s еd in th е ol d da y s a s а pr im ar

y

me
th
o d
to
tr
ea
t
ab
S C
e s
se
S
an
d
th
ru
s h
on
th
е
ho
0 V
e s
of
ho
rs
e s
Εv
en
th
o u
gh
it
wa
S

u s

ed bу ma ny ge ne rа ti on s, it wa s n 't un ti ι 19 81 th аt S C ie nc е pr 0 V еd it WΟ rk s.

A five-year study was published in the Southern Medical Journal in 1981, and it stated the following: "The use of Sugardine seems to accelerate granulation tissue and epithelial tissue production, thereby covering wounds, burns or ulcers with skin."

The topical application of Sugardine was proven to stimulate wound healing by activating keratinocytes and fibroblast functions. Besides having an anti-microbial effect, it promotes re-epithelialization and granulation tissue formation.

Sugar accelerates the extra-cellular urokinase-type plasminogen activator (u-PA) and stimulates the transforming growth factor (TGF). The mixture of sugar and iodine acts on wounds not only as an antibiotic agent but also as a modulator for keratinocytes and fibroblasts.

Just like Dakin's solution, this is an ideal solution for preppers and survivalists since it's cheap and easy to make in the comfort of your own home. And to make things clear, this is proven healing methods backed up by science.

So if you have to deal with a cut, a burn or an abscess is giving you a hard time, you can use Sugardine, and you won't have to worry anymore.

How to make Sugardine:

To make it easily at home, you will need table sugar and 10% povidone-iodine or Betadine (more expensive alternative).

Follow these steps:

- Mix one part 10% betadine or povidone-iodine with sugar
- You will need to add more or less sugar to reach the desired consistency. It should be like thick honey when all mixed together
- Once it has the desired consistency, put it on the wound. You can also store the leftover in a container for later use.

Check on your stored Sugardine and stir it every now and then. The best part is that Sugardine never goes bad, and it only changes color (gets darker).

It's a great alternative, just like Dakin's solution, to keep in your bug out bag. I carry Sugardine with me whenever I go camping for extended periods of time.

Recommendations:

- If the wound is leaking, you need to replace the Sugardine or add more sugar to the wound. Avoid letting it get waterlogged as it will do more harm and good. Your goal is to make a thick paste with a granulated texture. The texture of Sugardien should be similar to the one of peanut butter.
 Keep it out of the reach of children.
- Make sure you use the Betadine solution and not Betadine Scrub. They look almost the same, but the scrub is

slightly bubbly.

Honey and sugar mix

These are two ingredients that can be found in pantries all over the country because they have an indefinite shelf life. If you lack iodine or bleach and you can's make the first two listed antiseptics, there's still a chance to make your own homemade antiseptic.

Us
in
g
а
mi
Х
o f
ho
ne
У
an
d
S U
g a
r
o n
ор
en
WO
un
d s
is
th
е
mo
st

an сi en t me th o d o f se lf he al in g kn 0 W n to ma n. Ιt da te S ba ck to th е An сi en t Εg ур

ti

an
S
wh
en
th
е
pr
0 C
e s
S
of
u s
in
g
th
is
re
me
d y
wa
S
fi
rs
t
do
сu
me
nt
ed
•
Εv
en
mо
re
,
th
is

se lf he al in g аi d is al S 0 me nt io ne d in th е Βi bl e, Ko ra n, an d Тο ra h.

It became so popular that armies all over the world used this remedy to cleanse and heal traumatic war wounds where the loss of flesh lead to infections. This remedy was even used for gunshots wounds.

Why this mix works

Sugar is a short-chain, soluble carbohydrate composed of carbon, hydrogen, and oxygen. It can be found under many names, such as glucose, dextrose, fructose, galactose, sucrose, maltose, and lactose. Sugar has high osmolality, and it's able to draw fluid out of the wound. It reduces water content in the injury and inhibits the growth of bacteria. It is also helpful in removing dead tissue while preserving the tissue that is still alive. Honey is a viscous, hyper-saturated sugar solution made from 75-80 percent sugar and 20 percent water. It is very effective at killing staphylococci, including the communityacquired methicillin-resistant Staphylococcus aureus, within a few hours. Honey also has anti-inflammatory activity, and its ability to absorb water provides antiseptic action. Scientists believe that the healing proprieties of honey are derived from its ability to produce hydrogen peroxide from the glucose oxidase enzyme found in its composition.

How to use honey and sugar on wounds

One important step is to make sure that the wound has stopped bleeding and was properly cleaned. You can clean the wound with a bar of mild soap and warm water if nothing else is available. Most preppers I know keep the saline solution at hand for this purpose, but water and soap will work as well. Once the wound was cleaned, pat the area with a sterile pad until there is no more moisture inside the wound. The honey and sugar will react and bind with calcium, and calcium will not be present due to bleeding. That means no clot can form. Now pour the granulated sugar into the wound, making sure it gets as deep into the wound as possible. Do not just sprinkle it on the surface and outer rim of the wound. If the wound is too large, you need to apply honey first and then add sugar on top (vou can mix sugar and honey until you make a thick paste). Once this step was completed, you will need to cover the wound with a clean bandage and secure it with tape or clips. A bandage is necessary as it will prevent the honey and sugar from leaking out while at the same time will protect the wound from external debris and bacteria.

Recommendations:

- Use only granulated sugar for this antiseptic as it creates a ticker texture when mixed with honey.
- Change the bandage and repeat the cleaning and sugar application once a day.
- You will have to change the bandages more than once per day, depending on your wound, and when you notice

the bandages are wet from the removed fluid.

- Commercial honey is not as effective at treating wounds as raw honey.
- The best honey you can use is Manuka honey. Although it is more expensive, it is much more efficient, and even the New Zealand army forces use it.
- Avoid using this antiseptic on infants since they may develop botulism from honey.



HOW TO TREAT A GUNSHOT WOUND WHEN THE SHTF WATCH VIDEO







Concluding

The antiseptics listed in this article are ideal for the layman, and I recommend reading and learning about them as much as possible. I've tried them on myself, and they worked great for me. Even so, that doesn't mean they will work just as well for you, and you should research them furthermore in order to make sure you are safe when using them.